

**A/C Leak Sealant 118ml**

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
Date of first issue: 06.10.2010

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : A/C Leak Sealant 118ml

Product code : 1892 764 300

**Manufacturer or supplier's details**

Company : Wurth Australia Pty Ltd

Address : 2/1 Healey Road  
Dandenong South, Victoria, 3175

Telephone : +61 3 8788 1111

Emergency telephone number : 1300 657 765. Advisory office in case of poisoning - National Poisons Centre: 131 126

E-mail address : prodsafe@wuerth.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Sealant

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Gases under pressure : Liquefied gas

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H280 Contains gas under pressure; may explode if heated.

Precautionary statements : **Storage:**  
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

**Other hazards which do not result in classification**

|| May displace oxygen and cause rapid suffocation.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

---

## A/C Leak Sealant 118ml

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
 Date of first issue: 06.10.2010

### Hazardous components

| Chemical name  | CAS-No.    | Concentration (% w/w) |
|--|------------|-----------------------|
| norflurane   | 811-97-2   | >= 30 -< 60           |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | >= 30 -< 60           |
| Phenol, isopropylated, phosphate (3:1)                 | 68937-41-7 | < 3                   |

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.  
 If the temperature rises there is danger of the vessels bursting

## A/C Leak Sealant 118ml

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.04.2017  |
| 4.0     | 03.08.2017     | 865714-00004 | Date of first issue: 06.10.2010 |

---

- due to the high vapor pressure.
- Hazardous combustion products** : Carbon oxides  
 Fluorine compounds
- Specific extinguishing methods** : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Use water spray to cool unopened containers.  
 Remove undamaged containers from fire area if it is safe to do so.  
 Evacuate area.
- Special protective equipment for firefighters** : In the event of fire, wear self-contained breathing apparatus.  
 Use personal protective equipment.
- Hazchem Code** : 2YE
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures** : Evacuate personnel to safe areas.  
 Ventilate the area.  
 Use personal protective equipment.  
 Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions** : Discharge into the environment must be avoided.  
 Prevent further leakage or spillage if safe to do so.  
 Prevent spreading over a wide area (e.g. by containment or oil barriers).  
 Retain and dispose of contaminated wash water.  
 Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up** : Soak up with inert absorbent material.  
 For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
 Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures** : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation** : Use only with adequate ventilation.
- Advice on safe handling** : Avoid inhalation of vapour or mist.
-

## A/C Leak Sealant 118ml

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
 Date of first issue: 06.10.2010

|  |  |  |  |  |   |
|--|--|--|--|--|---|
|  |  |  |  |  | <p>Do not swallow.<br/>         Avoid contact with eyes.<br/>         Avoid prolonged or repeated contact with skin.<br/>         Handle in accordance with good industrial hygiene and safety practice.<br/>         Take care to prevent spills, waste and minimize release to the environment.</p> |
|  |  |  |  |  | <p>Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.<br/>         When using do not eat, drink or smoke.<br/>         Wash contaminated clothing before re-use.</p>  |
|  |  |  |  |  | <p>Conditions for safe storage : Keep in a cool, well-ventilated place.<br/>         Store in accordance with the particular national regulations.<br/>         Do not pierce or burn, even after use.<br/>         Keep cool. Protect from sunlight.</p>   |
|  |  |  |  |  | <p>Materials to avoid : Do not store with the following product types:<br/>         Strong oxidizing agents</p>   |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components   | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis  |
|--|------------|----------------------------------|--|--------|
| norflurane   | 811-97-2   | TWA                              | 1,000 ppm<br>4,240 mg/m <sup>3</sup>           | AU OEL |
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | TWA (Mist)                       | 5 mg/m <sup>3</sup>                            | AU OEL |

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
 Minimize workplace exposure concentrations.

#### Personal protective equipment

|  |  |  |  |  |   |
|--|--|--|--|--|---|
|  |  |  |  |  | <p>Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.</p> |
|  |  |  |  |  | <p>Filter type : Self-contained breathing apparatus</p>   |
|  |  |  |  |  | <p>Hand protection</p> <p>Material : Nitrile rubber</p> <p>Break through time : 240 min</p> <p>Glove thickness : 0.11 mm</p>  |

**Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications,

## A/C Leak Sealant 118ml

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.04.2017  |
| 4.0     | 03.08.2017     | 865714-00004 | Date of first issue: 06.10.2010 |

---

we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

- |  |   |
|--|---|
| <div style="display: inline-block; width: 10px; height: 40px; background-color: black; margin-right: 5px;"></div> Eye protection           | : Wear the following personal protective equipment:<br>Safety glasses   |
| <div style="display: inline-block; width: 10px; height: 40px; background-color: black; margin-right: 5px;"></div> Skin and body protection | : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.<br>Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc). |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- |  |  |
|--|--|
| Appearance                                       | : Aerosol containing a liquefied gas   |
| Propellant                                       | : norflurane   |
| Colour   | : yellow, green  |
| Odour  | : characteristic   |
| Odour Threshold                                  | : No data available  |
| pH   | : No data available  |
| Melting point/freezing point                     | : No data available  |
| Initial boiling point and boiling range          | : Not applicable   |
| Flash point                                      | : 218 °C<br>Flash point is only valid for liquid portion in the aerosol can. |
| Evaporation rate                                 | : Not applicable   |
| Flammability (solid, gas)                        | : Not classified as a flammability hazard                                    |
| Upper explosion limit / Upper flammability limit | : No data available  |
| Lower explosion limit / Lower flammability limit | : No data available  |
| Vapour pressure                                  | : < 0.001 kPa (25 °C)  |
| Relative vapour density                          | : Not applicable   |
| Relative density                                 | : No data available  |
| Solubility(ies)<br>Water solubility              | : No data available  |

**A/C Leak Sealant 118ml**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.04.2017  |
| 4.0     | 03.08.2017     | 865714-00004 | Date of first issue: 06.10.2010 |

---

|  |   |  |
|--|---|--|
| Partition coefficient: n-octanol/water | : | Not applicable   |
| Auto-ignition temperature              | : | No data available  |
| Decomposition temperature              | : | No data available  |
| Viscosity                              | : |  |
| Viscosity, kinematic                   | : | Not applicable   |
| Explosive properties                   | : | Not explosive  |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing. |
| Particle size                          | : | Not applicable   |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | Not classified as a reactivity hazard.  |
| Chemical stability                 | : | Stable under normal conditions.   |
| Possibility of hazardous reactions | : | If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | None known.   |
| Incompatible materials             | : | Oxidizing agents  |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.  |

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

|                 |   |  |
|-----------------|---|--|
| Exposure routes | : | Inhalation<br>Skin contact<br>Ingestion<br>Eye contact |
|-----------------|---|--|

**Acute toxicity**

Not classified based on available information.

**Product:**

|                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | Acute toxicity estimate: > 2,000 mg/kg<br>Method: Calculation method  |
| Acute inhalation toxicity | : | Acute toxicity estimate: > 5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |
| Acute dermal toxicity     | : | Acute toxicity estimate: > 2,000 mg/kg<br>Method: Calculation method  |

---

**A/C Leak Sealant 118ml**

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
Date of first issue: 06.10.2010

---

**Components:****Distillates (petroleum), hydrotreated heavy paraffinic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**Phenol, isopropylated, phosphate (3:1):**

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****norflurane:**

Species: Rabbit  
Result: No skin irritation

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species: Rabbit  
Result: No skin irritation  
Remarks: Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****norflurane:**

Species: Rabbit  
Result: No eye irritation

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species: Rabbit

**A/C Leak Sealant 118ml**

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
Date of first issue: 06.10.2010

---

Result: No eye irritation  
Method: OECD Test Guideline 405  
Remarks: Based on data from similar materials

**Phenol, isopropylated, phosphate (3:1):**

Species: Rabbit  
Result: No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****norflurane:**

Test Type: Maximisation Test  
Exposure routes: Skin contact  
Species: Guinea pig  
Result: negative

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Test Type: Buehler Test  
Exposure routes: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: negative  
Remarks: Based on data from similar materials

**Phenol, isopropylated, phosphate (3:1):**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Skin contact  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: equivocal

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****norflurane:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473



**A/C Leak Sealant 118ml**

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
Date of first issue: 06.10.2010

---

Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: inhalation (gas)  
Result: negative

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Phenol, isopropylated, phosphate (3:1):**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Hamster  
Application Route: Ingestion  
Method: OECD Test Guideline 475  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****norflurane:**

Species: Rat  
Application Route: inhalation (gas)  
Exposure time: 2 Years  
Result: negative

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species: Mouse  
Application Route: Skin contact  
Exposure time: 78 weeks  
Method: OECD Test Guideline 451

## A/C Leak Sealant 118ml

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.04.2017  |
| 4.0     | 03.08.2017     | 865714-00004 | Date of first issue: 06.10.2010 |

---

Result: negative  
 Remarks: Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

### Components:

#### **norflurane:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: inhalation (gas)  
 Result: negative

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Skin contact  
 Method: OECD Test Guideline 414  
 Result: negative  
 Remarks: Based on data from similar materials

#### **Phenol, isopropylated, phosphate (3:1):**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 421  
 Result: positive

Effects on foetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

**A/C Leak Sealant 118ml**

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
Date of first issue: 06.10.2010

---

**Components:****Phenol, isopropylated, phosphate (3:1):**

Exposure routes: Ingestion  
Target Organs: epididymis, Liver, Adrenal gland, female reproductive organs  
Assessment: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

**Repeated dose toxicity****Components:****norflurane:**

Species: Rat  
NOAEL: 0.208 mg/l  
Application Route: inhalation (gas)  
Exposure time: 2 yr

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species: Rabbit  
NOAEL: 1,000 mg/kg  
Application Route: Skin contact  
Exposure time: 4 Weeks  
Method: OECD Test Guideline 410  
Remarks: Based on data from similar materials

Species: Rat  
NOAEL: > 980 mg/m<sup>3</sup>  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 4 Weeks

**Phenol, isopropylated, phosphate (3:1):**

Species: Rat  
NOAEL: < 25 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days  
Method: OECD Test Guideline 408

**Aspiration toxicity**

Not classified based on available information.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****norflurane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 450 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

## A/C Leak Sealant 118ml

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
 Date of first issue: 06.10.2010

- |   |   |   |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 960 mg/l<br>Exposure time: 48 h<br>Method: Directive 67/548/EEC, Annex V, C.2.                         |
| Toxicity to algae                                   | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Remarks: Based on data from similar materials |
| Toxicity to microorganisms                          | : | EC10 (Pseudomonas putida): > 730 mg/l<br>Exposure time: 6 h   |

### Distillates (petroleum), hydrotreated heavy paraffinic:

- |  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203<br>Remarks: Based on data from similar materials          |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 10,000 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials                 |
| Toxicity to algae  | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 10 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211<br>Remarks: Based on data from similar materials                       |
| Toxicity to microorganisms   | : | NOEC: > 1.93 mg/l<br>Exposure time: 10 min<br>Method: DIN 38 412 Part 8<br>Remarks: Based on data from similar materials  |

### Phenol, isopropylated, phosphate (3:1):

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 1.5 mg/l<br>Exposure time: 48 h  |
| Toxicity to algae                                   | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2.5 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 0.31 mg/l<br>Exposure time: 72 h |

## A/C Leak Sealant 118ml

Version 4.0      Revision Date: 03.08.2017      SDS Number: 865714-00004      Date of last issue: 25.04.2017  
 Date of first issue: 06.10.2010

|  |   |  |
|--|---|--|
|  |   | Method: OECD Test Guideline 201  |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Pimephales promelas (fathead minnow)): 0.0031 mg/l<br>Exposure time: 33 d<br>Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.0415 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211           |
| M-Factor (Chronic aquatic toxicity)                                    | : | 10   |
| Toxicity to microorganisms   | : | EC50: > 1,000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209  |

### Persistence and degradability

#### Components:

##### **norflurane:**

|                  |   |  |
|------------------|---|--|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 3 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301D |
|------------------|---|--|

##### **Distillates (petroleum), hydrotreated heavy paraffinic:**

|                  |   |   |
|------------------|---|---|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 31 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301F |
|------------------|---|---|

##### **Phenol, isopropylated, phosphate (3:1):**

|                  |   |   |
|------------------|---|---|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 17.9 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301D |
|------------------|---|---|

### Bioaccumulative potential

#### Components:

##### **norflurane:**

|  |   |               |
|--|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 1.06 |
|--|---|---------------|

##### **Phenol, isopropylated, phosphate (3:1):**

|  |   |                      |
|--|---|----------------------|
| Partition coefficient: n-octanol/water | : | log Pow: 4.92 - 5.17 |
|--|---|----------------------|

## A/C Leak Sealant 118ml

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.04.2017  |
| 4.0     | 03.08.2017     | 865714-00004 | Date of first issue: 06.10.2010 |

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

|                        |   |   |
|------------------------|---|---|
| Waste from residues    | : | Dispose of in accordance with local regulations.  |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product.<br>Please ensure aerosol cans are sprayed completely empty (including propellant) |

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

|                      |   |                            |
|----------------------|---|----------------------------|
| UN number            | : | UN 1950                    |
| Proper shipping name | : | AEROSOLS                   |
| Class                | : | 2.2                        |
| Packing group        | : | Not assigned by regulation |
| Labels               | : | 2.2                        |

#### IATA-DGR

|  |   |                              |
|--|---|------------------------------|
| UN/ID No.                                | : | UN 1950                      |
| Proper shipping name                     | : | Aerosols, non-flammable      |
| Class                                    | : | 2.2                          |
| Packing group                            | : | Not assigned by regulation   |
| Labels                                   | : | Non-flammable, non-toxic Gas |
| Packing instruction (cargo aircraft)     | : | 203                          |
| Packing instruction (passenger aircraft) | : | 203                          |

#### IMDG-Code

|                      |   |   |
|----------------------|---|---|
| UN number            | : | UN 1950   |
| Proper shipping name | : | AEROSOLS<br>(Phenol, isopropylated, phosphate (3:1), Diphenylamine) |
| Class                | : | 2.2   |
| Packing group        | : | Not assigned by regulation  |
| Labels               | : | 2.2   |
| EmS Code             | : | F-D, S-U  |
| Marine pollutant     | : | yes   |

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

**A/C Leak Sealant 118ml**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.04.2017  |
| 4.0     | 03.08.2017     | 865714-00004 | Date of first issue: 06.10.2010 |

---

|                      |                              |
|----------------------|------------------------------|
| UN number            | : UN 1950                    |
| Proper shipping name | : AEROSOLS                   |
| Class                | : 2.2                        |
| Packing group        | : Not assigned by regulation |
| Labels               | : 2.2                        |
| Hazchem Code         | : 2YE                        |

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform : Schedule 5  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

**The components of this product are reported in the following inventories:**

AICS : All ingredients listed or exempt.

---

**SECTION 16. OTHER INFORMATION****Further information**

Revision Date : 03.08.2017

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agen-  
Sheet cy, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-  
taminants.

AU OEL / TWA : Exposure standard - time weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -

**A/C Leak Sealant 118ml**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 25.04.2017  |
| 4.0     | 03.08.2017     | 865714-00004 | Date of first issue: 06.10.2010 |

---

Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN