



Safety Data Sheet

Page 1 of 9

LOCTITE LB 771 known as LOCTITE NICKEL ANTI-SEIZE 771

SDS No. : 319450

V001.5

Date of issue: 18.05.2017

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE LB 771 known as LOCTITE NICKEL ANTI-SEIZE 771

Intended use: Lubricant

Supplier:

Henkel Australia Pty Ltd
135-141 Canterbury Road
Kilsyth, Victoria, 3137
Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.


GHS Classification:

<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Target organ</u>
Serious eye irritation	Category 2A	
Skin sensitizer	Category 1	
Carcinogenicity	Category 2	
Target Organ Systemic Toxicant - Repeated exposure	Category 1	respiratory tract
Acute hazards to the aquatic environment	Category 2	
Chronic hazards to the aquatic environment	Category 2	

Hazard pictogram:



Signal word: Danger

Hazard statement(s):	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H372+H330 Causes damage to organs through prolonged or repeated exposure if inhaled. H411 Toxic to aquatic life with long lasting effects.
Precautionary Statement(s):	
Prevention:	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye protection/face protection. P280 Wear protective gloves. P281 Use personal protective equipment as required.
Response:	P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P391 Collect spillage.
Storage:	P405 Store locked up.
Disposal:	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.
Hazard pictogram:	
Signal word:	Danger

Hazard statement(s):	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H372 Causes damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
Precautionary Statement(s):	
Prevention:	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye protection/face protection. P280 Wear protective gloves. P281 Use personal protective equipment as required.
Response:	P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P391 Collect spillage.
Storage:	P405 Store locked up.
Disposal:	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Classification of material T - Toxic Xi - Irritant

Risk phrases:

R40 Limited evidence of a carcinogenic effect.
R43 May cause sensitisation by skin contact.
R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Safety phrases:

S9 Keep container in a well-ventilated place.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S24/25 Avoid contact with skin and eyes.
S36/37 Wear suitable protective clothing and gloves.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word:

HAZARDOUS

Section 3. Composition / information on ingredients

General chemical description: Mixture

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Nickel	7440-02-0	10- < 20 %
Graphite	7782-42-5	< 10 %
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	< 5 %
Aluminium powder (stabilised)	7429-90-5	< 5 %
non hazardous ingredients~		60- < 100 %

Section 4. First aid measures

Ingestion:	Rinse mouth, do not induce vomiting, consult a doctor.
Skin:	Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.
Eyes:	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Inhalation:	Move to fresh air.
First Aid facilities:	Eye wash Normal washroom facilities

Section 5. Fire fighting measures

Suitable extinguishing media:	Foam, extinguishing powder, carbon dioxide.
Decomposition products in case of fire::	carbon oxides. Irritating organic vapours.
Special protective equipment for fire-fighters:	Wear protective equipment. Wear self-contained breathing apparatus.

Section 6. Accidental release measures

Personal precautions:	Danger of slipping on spilled product. Wear impervious gloves and chemical splash goggles.
Environmental precautions:	Do not empty into drains / surface water / ground water.
Clean-up methods:	Soak up with inert absorbent. Dispose of contaminated material as waste according to Section 13.

Section 7. Handling and storage

Precautions for safe handling:	Ensure that workrooms are adequately ventilated.
Conditions for safe storage:	Keep container tightly sealed. Store in a dry place.

Section 8. Exposure controls / personal protection**National exposure standards:**

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m ³)	Peak Limit. (ppm)	Peak Limit. (mg/m ³)	STEL (ppm)	STEL (mg/m ³)
NICKEL, METAL 7440-02-0			1	-	-	-	-
GRAPHITE, NATURAL AND SYNTHETIC (ALL FORMS EXCEPT FIBRES) (RESPIRABLE DUST) 7782-42-5	Respirable dust.		3	-	-	-	-
ALUMINIUM (METAL DUST) 7429-90-5	Dust.		10	-	-	-	-
ALUMINIUM (WELDING FUMES) (AS AL) 7429-90-5	Welding fume.		5	-	-	-	-
ALUMINIUM, PYRO POWDERS (AS AL) 7429-90-5	Pyrophoric powder.		5	-	-	-	-

Engineering controls:

Ensure good ventilation/extraction.

Eye protection:

Wear chemical goggles.

Skin protection:Use of protective coveralls and long sleeves is recommended.
Protective gloves made of rubber.**Respiratory protection:**

If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties**Appearance:**dark grey
liquid**Odor:**

Hydrocarbon-like

Flash point:

> 240 °C (> 464 °F)

Density:1.1 g/cm³**Solubility in water:**

Insoluble

Section 10. Stability and reactivity**Stability:**

Stable under normal conditions of temperature and pressure.

Conditions to avoid:

Avoid ignition sources where dust is produced.

Incompatible materials:	Strong oxidizing agents. Nickel powder can react explosively with substances such as ammonium nitrate, perchlorates, phosphorus, selenium, sulfur, etc...
Hazardous decomposition products:	In case of fire toxic gases can be released. Irritating organic vapours. Oxides of carbon.

Section 11. Toxicological information

Health Effects:

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Skin: May cause mild skin irritation.

May cause skin sensitization.

Eyes: May cause eye irritation.

Inhalation: Inhalation of dust generated by this material may cause respiratory tract irritation.

Chronic effects:

Nickel

7440-02-0:

Skin damage and respiratory dysfunctions after sensitisation; contact dermatitis, contact urticaria, allergic rhinitis and allergic asthma; active pneumonia, hyperplasia of the macrophages, alveolar proteinosis, fibrosis, hyperplasia of the bronchial lymph nodes and atrophy of the olfactory epithelium; carcinogenic potential, the lungs and nose are the target organs of the carcinogenicity of nickel and nickel compounds. Soluble Ni is quickly resorbed in the respiratory tract, percutaneous resorption is regarded as negligible.

Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Nickel 7440-02-0	LD50	> 9,000 mg/kg	oral		rat	not specified
Graphite 7782-42-5	LD50	> 2,000 mg/kg	oral		rat	OECD Guideline 423 (Acute Oral toxicity)
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts 68649-42-3	LD50	> 2,000 mg/kg	oral		rat	

Section 12. Ecological information

General ecological information:

Do not empty into drains / surface water / ground water., Toxic for aquatics organisms, May cause long-term adverse effects in the aquatic environment.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Nickel 7440-02-0	LC50	> 100 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)
Nickel 7440-02-0	EC50	> 100 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Graphite 7782-42-5	LC50	> 10,000 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)
Graphite 7782-42-5	EC50	> 5,600 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Phosphorodithioic acid, O,O- di-C1-14-alkyl esters, zinc salts 68649-42-3	LC50	> 1 - 10 mg/l	Fish			OECD Guideline 203 (Fish, Acute Toxicity Test)
Phosphorodithioic acid, O,O- di-C1-14-alkyl esters, zinc salts 68649-42-3	EC50	> 1 - 10 mg/l	Daphnia		Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Aluminium powder (stabilised) 7429-90-5	NOEC	> 100 mg/l	Fish	96 h	Salmo trutta	OECD Guideline 203 (Fish, Acute Toxicity Test)

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Phosphorodithioic acid, O,O- di-C1-14-alkyl esters, zinc salts 68649-42-3		aerobic	5 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Section 13. Disposal considerations

- Waste disposal of product:** Collection and delivery to recycling enterprise or other registered elimination institution.
- Recommended cleanser:** Solvent naphtha
- Disposal for uncleaned package:** Dispose of in accordance with local and national regulations.

Section 14. Transport information**Road and Rail Transport:**

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Marine transport IMDG:

UN no.:	3082
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidazolinderivate)
Class or division:	9
Packing group:	III
EmS:	F-A ,S-F
Seawater pollutant:	Marine pollutant

Air transport IATA:

UN no.:	3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Imidazolinderivate)
Class or division:	9
Packing group:	III
Packing instructions (passenger)	964
Packing instructions (cargo)	964

Further information for transport:

The transport classifications in this section apply generally to packed and bulk goods alike. For containers with a net volume of no more than 5 L for liquid substances or a net mass of no more than 5 kg for solid substances per individual or inner package, the exemptions SP 375 (ADR), 197 (IATA), 969 (IMDG) may be applied, which can result in a deviation from the transport classification for packed goods.

Section 15. Regulatory information

SUSMP Poisons Schedule	None
-------------------------------	------

Section 16. Other information

Abbreviations/acronyms:	GHS: Globally Harmonized System IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IMDG: International Maritime Dangerous Goods code STEL - Short term exposure limit TWA - Time weighted average
--------------------------------	--

Reason for issue:	Reviewed MSDS. Reissued with new date. involved chapters: 14,16
--------------------------	---

Date of previous issue:	24.03.2016
--------------------------------	------------

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.